

# SAFETY DATA SHEET

Prepared according to USA OSHA Hazcom 2012 / Canada WHMIS 2015



**Date Issued :** 03/26/2021  
**SDS No :** Rust Check Rust Killer - 11001 236mL\_EN  
**Date Revised :** 03/31/2021  
**Revision No :** 1

## 11001 RUST KILLER 237 mL

### 1. IDENTIFICATION

**Product Name:** 11001 RUST KILLER 237 mL  
**Product Description:** Rust Preventive Coating, Gray, 236 mL (8 fl oz U.S.)  
**General Use:** Alkyd coating  
**Product Stock/Code:** 11001 Gray  
**Chemical Family:** Solvent based  
**Molecular Formula:** Mixture

#### Manufacturer / Supplier

Rust Check Corporation  
6175 Danville Road, Mississauga  
Ontario, Canada L5T 2H7  
**Customer Service:** 905-670-5411

#### Emergency Telephone Numbers (24 hour)

CANUTEC : (613) 996-6666  
CHEMTREC : (800) 424-9300

### 2. HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

The classification and label elements stated below were prepared in accordance with the USA OSHA Hazard Communication Standard (29 CFR 1910.1200; Hazcom 2012) and the Canadian WHMIS regulations (Hazardous Products Regulations; WHMIS 2015). This information may be different from the actual product label information for labels that are regulated by other agencies.

#### Health hazards:

Specific Target Organ Toxicity (Single exposure), Category 3 (Narcotic Effects)  
Specific Target Organ Toxicity (Repeated exposure), Category 2  
Skin Sensitization, Category 1  
Reproductive Toxicity, Category 2  
Carcinogenicity, Category 2

#### Physical hazards:

Flammable Liquids, Category 3

#### Label elements

Hazardous components for labelling:

**stoddard solvent, titanium dioxide, toluene, cobalt naphthenate, methyl ethyl ketoxime, calcium naphthenate, naphthalene and ethylbenzene**



Flame



Exclamation  
mark



Health  
hazard

**Signal Word:** WARNING

**Hazard statement(s)**

## 11001 RUST KILLER 237 mL

---

H226: Flammable liquid and vapour.

H336: May cause drowsiness or dizziness.

H373: May cause damage to central nervous system, kidneys and liver through prolonged or repeated exposure.

H317: May cause an allergic skin reaction.

H361: Suspected of damaging fertility or the unborn child.

H351: Suspected of causing cancer.

### Precautionary statement(s)

#### General:

EUH211: Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### Prevention:

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240: Ground and bond container and receiving equipment.

P241: Use explosion-proof electrical, ventilating or lighting equipment.

P242: Use non-sparking tools.

P243: Take action to prevent static discharges.

P260: Do not breathe mist, vapours or spray.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves, protective clothing and eye protection.

#### Response:

P308+P313: IF exposed or concerned: Get medical advice/attention.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P370+P378: In case of fire: Use dry chemical or foam to extinguish.

#### Storage:

P403+P235: Store in a well-ventilated place. Keep cool.

P233: Keep container tightly closed.

P405: Store locked up.

#### Disposal:

P501: Dispose of contents/container in accordance with applicable local, regional and/or national regulations.

**Hazards Not Otherwise Classified:** No data available.

### Emergency Overview

**Immediate concerns:** Flammable liquid and vapor. Vapours may cause drowsiness and dizziness. Prolonged or repeated exposure may cause central nervous system, kidney and liver damage. May cause sensitization by skin contact. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash). Moderately irritating to eyes. Suspected of causing cancer. Suspected of damaging fertility or the unborn child.

**Comments:** See sections 9 and 10 for more detailed information on physicochemical effects.

See section 11 for more detailed information on health effects.

See sections 12 for more detailed information on environmental effects.

The actual container label may not include the above label elements. The labeling shown above applies to products used solely for industrial / professional use.

Consumer products should be labeled in accordance with the Canadian Consumer Chemicals and Containers Regulations and US Consumer Product Safety Commission regulations. Consumer product labeling takes precedence

**11001 RUST KILLER 237 mL**

over Canadian WHMIS 2015 and OSHA Hazcom 2012 Hazard Communication labeling.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name	Wt. %	CAS number
stoddard solvent	39 - 41	8052-41-3
calcium carbonate (non-hazardous ingredient)	14.7 - 16.5	1317-65-3
kaolin (hydrated aluminium silicate)	7.1 - 8.5	1332-58-7
linseed oil	7.1 - 8.5	8001-26-1
titanium dioxide	2.7 - 3.5	13463-67-7
precipitated silica gel, crystalline free (non-hazardous ingredient)	1.5 - 1.7	112926-00-8
bentonite clay	1.5 - 1.7	1302-78-9
trizinc bis(orthophosphate)	1.5 - 1.7	7779-90-0
toluene	0.6 - 0.8	108-88-3
zinc oxide	0.3 - 0.5	1314-13-2
iron oxide black (non-hazardous ingredient)	0.3 - 0.5	1309-38-2
cobalt naphthenate	0.21 - 0.23	61789-51-3
methyl ethyl ketoxime	0.18 - 0.22	96-29-7
calcium naphthenate	0.11 - 0.13	61789-36-4
naphthalene	0.15 - 0.25	91-20-3
ethylbenzene	0.05 - 0.15	100-41-4
crystalline silica, quartz	< 0.1	14808-60-7

**Comments:** There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the product and hence require reporting in this section.  
 stoddard solvent is a complex substance i.e. complex mixture of known or unknown composition.  
 ethylbenzene is a hazardous constituent that may be contained in the complex substance.  
 naphthalene is a hazardous constituent that may be contained in the complex substance.  
 kaolin (hydrated aluminium silicate) is a complex substance i.e. complex mixture of known or unknown composition.  
 crystalline silica, quartz is a hazardous constituent that may be contained in the complex substance.

**4. FIRST AID MEASURES**

**Eye Contact:** In case of contact, immediately flush eyes, keeping eyelids open, with plenty of water for at least 15 minutes. Get medical attention, if irritation persists.

**Skin Contact:** Wash with soap and water. Get medical attention if irritation develops or persists. Remove contaminated clothing and wash before reuse.

**Ingestion:** If swallowed, do NOT induce vomiting. Give victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

**Inhalation:** If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain medical attention if breathing difficulty persists. If you experience eye watering, headaches or dizziness, increase fresh air or leave the area.

**Signs and Symptoms of Overexposure**

**Eye Contact:** Mildly irritating to the eyes. Symptoms may include tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes.

## 11001 RUST KILLER 237 mL

**Skin Contact:** Substance does not generally irritate and is only mildly irritating to the skin. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

**Ingestion:** Substance may be harmful if swallowed. May cause irritation. Symptoms of ingestion may include abdominal pain, nausea, vomiting and diarrhea.

**Inhalation:** High vapor concentrations may be harmful if inhaled. May cause headaches and dizziness. High vapor concentrations may cause drowsiness.

**Notes to Physician:** Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

**Additional Information:** No data available.

### 5. FIRE FIGHTING MEASURES

**Flammable Properties:** Flammable Liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Product can be ignited by static discharge.

**Extinguishing Media:** Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

**Hazardous Combustion Products:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**Fire Fighting Procedures:** Containers can build up pressure if exposed to heat (fire).

**Fire Fighting Equipment:** As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

**Sensitivity to Static Discharge:** Product is sensitive to static discharge.

**Sensitivity to Mechanical Impact:** Product is not sensitive to mechanical impact.

### 6. ACCIDENTAL RELEASE MEASURES

**Small Spill:** Ensure adequate ventilation. Cover spill area with suitable absorbent material (e.g., sand, earth, sawdust, vermiculite, Oil-Dri, Kitty Litter, etc.). Sweep up material being careful not to raise dust. Place in an appropriate disposal container and seal tightly. Avoid contact with eyes, skin, and clothing.

#### Environmental Precautions

**Water Spill:** Do not flush to sewer.

**Land Spill:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Special Protective Equipment:** Clean up spills immediately, observing precautions in Protective Equipment section 8.

### 7. HANDLING AND STORAGE

**General Procedures:** Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids. Ensure thorough ventilation of stores and work areas.

**Handling:** Do not use in the presence of open flame or spark. Use only in a well ventilated area. Wear recommended personal protective equipment. Keep container closed when not in use. Avoid breathing vapours or mist. Avoid contact with eyes, skin, and clothing. After handling, always wash hands thoroughly with soap and water.

**Storage:** Store away from heat, sparks, open flames, strong oxidizing agents and direct sunlight. Protect from physical damage. Keep container tightly closed and in a well-ventilated place. Store in a cool place.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Exposure Guidelines

OSHA / WHMIS 2015 HAZARDOUS COMPONENTS	
Occupational Exposure Limits	

**11001 RUST KILLER 237 mL**

<b>Chemical Name</b>	<b>Type</b>		<b>ppm</b>	<b>mg/m<sup>3</sup></b>
stoddard solvent	<b>OSHA PEL</b>	<b>TWA</b>	500	2900
	<b>ACGIH TLV</b>	<b>TWA</b>	100	572
calcium carbonate (non-hazardous ingredient)	<b>OSHA PEL</b>	<b>TWA</b>	[1]	15 [1]
		<b>TWA</b>	[2]	5 [2]
	<b>NIOSH REL</b>	<b>TWA</b>	[3]	10 [3]
		<b>TWA</b>	[4]	5 [4]
kaolin (hydrated aluminium silicate)	<b>OSHA PEL</b>	<b>TWA</b>	[1]	15 [1]
		<b>TWA</b>	[2]	5 [2]
	<b>ACGIH TLV</b>	<b>TWA</b>	[2]	2 [2]
		<b>TWA</b>	[1]	10 [1]
	<b>NIOSH REL</b>	<b>TWA</b>	[2]	5 [2]
		<b>TWA</b>	[1]	15 [1]
titanium dioxide	<b>OSHA PEL</b>	<b>TWA</b>	-- [1]	15 [1]
	<b>ACGIH TLV</b>	<b>TWA</b>	-- [1]	10 [1]
precipitated silica gel, crystalline free (non-hazardous ingredient)	<b>OSHA PEL</b>	<b>TWA</b>	20 mpp	80
bentonite clay	<b>ACGIH TLV</b>	<b>TWA</b>	[2]	1 [2]
trizinc bis(orthophosphate)	<b>USA OEL</b>	-	[5]	[5]
toluene	<b>OSHA PEL</b>	<b>TWA</b>	200	--
		<b>STEL</b>	300	--
	<b>ACGIH TLV</b>	<b>TWA</b>	20	75
		<b>TWA</b>	100	375
	<b>NIOSH REL</b>	<b>STEL</b>	150	560
		<b>TWA</b>	0.3	1
methyl ethyl ketoxime	<b>Germany (DFG)</b>	<b>STEL</b>	2.4	8
		<b>TWA</b>	10	50
naphthalene	<b>OSHA PEL</b>	<b>TWA</b>	10	50
		<b>TWA</b>	10	52
	<b>ACGIH TLV</b>	<b>STEL</b>	15	79
		<b>TWA</b>	10	50
	<b>NIOSH REL</b>	<b>STEL</b>	15	75
		<b>TWA</b>	100	435
ethylbenzene	<b>ACGIH TLV</b>	<b>TWA</b>	20	87
		<b>TWA</b>	100	435
	<b>NIOSH REL</b>	<b>STEL</b>	125	545
		<b>TWA</b>	-- [6]	0.10 [6]
crystalline silica, quartz	<b>OSHA PEL</b>	<b>TWA</b>	-- [1]	0.30 [1]
		<b>TWA</b>	-- [6]	0.025 [6]
	<b>ACGIH TLV</b>	<b>TWA</b>	-- [6]	0.025 [6]
		<b>TWA</b>	-- [6]	0.05 [6]

**Footnotes:**

## 11001 RUST KILLER 237 mL

1. Dust - total fraction.
2. Dust - respirable fraction.
3. Total particulates.
4. Respirable fraction.
5. This material does not have established exposure limits in the USA under OSHA, NIOSH, ACGIH.
6. Dust - respirable fraction.

**Engineering Controls:** Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

### Personal Protective Equipment

**Eyes and Face:** Wear safety glasses with side shields (or goggles). Contact lenses should not be worn when working with this product. Eye wash fountains should be readily available to areas of use and handling.

**Skin Contact:** Wear chemical resistant gloves.

**Respiratory:** If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: Air-purifying respirator with an appropriate, government approved, air-purifying filter, cartridge or canister.

**Protective Clothing:** Wear protective clothing as necessary to prevent contact.

**Work Hygienic Practices:** Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Promptly remove soiled clothing/wash thoroughly before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State</b>	: Liquid
<b>Odor</b>	: Aromatic, faint
<b>Odor Threshold</b>	: No data available.
<b>Appearance</b>	: Viscous liquid
<b>Color</b>	: Gray
<b>pH</b>	: Not Applicable
<b>% Volatiles</b>	: 41.5 to 42.5% w/w
<b>Flash Point and Method</b>	: 40°C(104°F) Closed Cup
<b>Flammable Limits</b>	: 0.8 to 5.6
<b>Notes:</b>	Based on data for mineral spirits
<b>Autoignition Temperature</b>	: > 240°C (464°F)
<b>Vapor Pressure</b>	: 0.28 - 0.3 kPa [mineral spirits] at 20°C
<b>Vapor Density</b>	: > 4 (air = 1)
<b>Boiling Point</b>	: >150°C (mineral spirits)
<b>Freezing Point</b>	: No data available.
<b>Melting Point</b>	: No data available.
<b>Solubility in Water</b>	: Practically insoluble
<b>Evaporation Rate (n-butyl acetate = 1)</b>	: No data available.
<b>Density</b>	: 1.10-1.12 g/ml at 20°C
<b>Viscosity</b>	: 900 to 1500 cps at 25°C
<b>VOC Content</b>	: 41.0 - 42.0% w/w [< 470 g/l (3.9 lb/gal), less exempt solvents]

**11001 RUST KILLER 237 mL****Oxidizing Properties** : None**10. STABILITY AND REACTIVITY****Reactive Hazard** : No**Hazardous Polymerization:** Not expected to occur.**Stability:** Stable.**Conditions to Avoid:** Keep away from flames and incompatible materials. Keep away from flames and any object that sparks.**Possibility of Hazardous Reactions:** No data available.**Hazardous Decomposition Products:** Carbon Monoxide and other toxic vapors.**Incompatible Materials:** Oxidizing materials.**11. TOXICOLOGICAL INFORMATION****Acute Toxicity**

Chemical Name	Oral LD <sub>50</sub> mg/kg(rat)	Dermal LD <sub>50</sub> mg/kg (rabbit)	Inhalation LC <sub>50</sub> mg/l
stoddard solvent	> 5000	> 3000	8.5(rat;8h) >5.5(rat;4h)
calcium carbonate (non-hazardous ingredient)	6450(rat) 6450(mouse)	No data available.	No data available.
titanium dioxide	> 10,000	No data available.	No data available.
bentonite clay	> 5000	No data available.	No data available.
trizinc bis(orthophosphate)	> 5000	No data available.	>5.41(rat;4h)
toluene	7000 6400 5500	12,270	49.0(rat;4h) 30.0(mouse;2h) 19.9(mouse;7h)
methyl ethyl ketoxime	2326	> 1000 (no deaths)	>4.83(rat;4h - no deaths)
ethylbenzene	5460 3500 5627(mouse)	17,800 15,354	17.2(rat;4h) 13,367 ppm (rat;2h)

**Acute Toxicity - Dermal LD<sub>50</sub>:** Based on available ingredient data, the classification criteria for Acute Dermal Toxicity are not met for this mixture. The calculated ATE is >2000 mg/kg.**Acute Toxicity - Oral LD<sub>50</sub>:** Based on available ingredient data, the classification criteria for Acute Oral Toxicity are not met for this mixture. The calculated ATE is >2000 mg/kg.**Acute Toxicity - Inhalation LC<sub>50</sub>:** Based on available ingredient data, the classification criteria for Acute Toxicity - inhalation are not met for this mixture. The calculated ATE is >20 mg/l/4h (vapours).**Notes:** <5 % of the mixture consists of an ingredient or ingredients of unknown acute toxicity. No additional toxicology information is available for this product itself. (See Component Toxicity Information).**Primary Routes of Entry:**

Eye contact. Inhalation. Skin contact. Ingestion.

**Skin Irritation / Corrosion:** Based on available data, the classification criteria for skin irritation are not met for this mixture. Substance does not generally irritate and is only mildly irritating to the skin. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

**11001 RUST KILLER 237 mL**

**Eye Irritation / Serious Eye Damage:** Contains: methyl ethyl ketoxime, cobalt naphthenate and calcium naphthenate. Based on available data, the classification criteria for eye irritation are not met for this mixture. Moderately irritating to eyes. Irritating, but will not permanently injure eye tissue. Symptoms may include pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes.

**Respiratory / Skin Sensitizer:** Contains: methyl ethyl ketoxime and cobalt naphthenate. May cause sensitization by skin contact. The mixture is classified as: Skin Sensitizer, category 1 based on ingredient data ( $\geq 0.1\%$  ingredients classified as a skin sensitizer, category 1 or sub-category 1A or  $\geq 1.0\%$  ingredients classified as a skin sensitizer, sub-category 1B). Prolonged contact with this product can cause reddening, swelling, rash scaling or blistering. In those who have developed skin sensitization, these symptoms can develop as a result of contact with very small amount of the liquid material. Based on available data, the classification criteria for respiratory sensitization are not met for this mixture ( $< 0.1\%$  ingredients classified as a respiratory sensitizer, category 1 or sub-category 1A and  $< 1.0\%$  ingredients classified as a respiratory sensitizer, sub-category 1B).

**Germ Cell Mutagenicity:** Based on available data, the classification criteria for Germ Cell Mutagenicity are not met for this mixture ( $< 0.1\%$  ingredients classified as Germ Cell Mutagen, category 1A or 1B and  $< 1.0\%$  ingredients classified as Germ Cell Mutagen, category 2).

**Carcinogenicity**

Chemical Name	NTP status	IARC status	OSHA status	Other
stoddard solvent	--	--	--	--
calcium carbonate (non-hazardous ingredient)	--	--	--	--
kaolin (hydrated aluminium silicate)	--	--	--	A4 (ACGIH)
titanium dioxide	--	2B	--	A4 (ACGIH)
trizinc bis(orthophosphate)	--	--	--	--
toluene	--	3	--	A4 (ACGIH)
cobalt naphthenate	--	--	--	--
methyl ethyl ketoxime	--	2B	--	--
calcium naphthenate	--	--	--	--
naphthalene	P	2B	--	A3 (ACGIH)
ethylbenzene	--	2B	--	A3 (ACGIH)
crystalline silica, quartz	K	1	--	A2 (ACGIH)

**Notes:** methyl ethyl ketoxime is listed as Group 2B (possibly carcinogenic to humans) by IARC. ethylbenzene is listed as Group 2B (possibly carcinogenic to humans) by IARC. naphthalene is listed as Group 2B (possibly carcinogenic to humans) by IARC. The mixture is classified as: Carcinogenicity, category 2 based on ingredient data using the applicable cut-off/concentration limits ( $\geq 0.1\%$  ingredients classified as a Carcinogen, category 2). Titanium dioxide: applies only to respirable dust. The titanium dioxide in this product is inextricably bound and therefore presents no potential for exposure during normal conditions of use of this product or in a foreseeable emergency.

The crystalline silica, quartz in this product is inextricably bound and therefore presents no potential for exposure during normal conditions of use of this product or in a foreseeable emergency. Crystalline silica, quartz: applies only to respirable dust.

**Reproductive Toxicity:** Contains: toluene, cobalt naphthenate and calcium naphthenate. The mixture is classified



## 11001 RUST KILLER 237 mL

as: Reproductive Toxicity, category 2 based on ingredient data using the applicable cut-off/concentration limits ( $\geq$  0.1% ingredients classified as Reproductive Toxicity, category 2).

May cause adverse reproductive effects. Suspected of damaging fertility or the unborn child.

**Specific Target Organ Toxicity - Single Exposure:** Contains: stoddard solvent. The mixture is classified as: Specific Target Organ Toxicity - Single Exposure, category 3, based on summation of ingredient data using the applicable cut-off/concentration limits ( $\geq$  20% summation of all ingredients classified as Specific Target Organ Toxicity - Single Exposure, category 3 [Narcotic Effects]). High concentrations may lead to central nervous system effects (drowsiness, dizziness, nausea, headaches, paralysis and loss of consciousness).

**Specific Target Organ Toxicity - Repeated Exposure:** Contains: stoddard solvent and toluene. The mixture is classified as: Specific Target Organ Toxicity - Repeated Exposure, category 2, based on ingredient data using the applicable cut-off/concentration limits ( $\geq$  1.0% ingredients classified as Specific Target Organ Toxicity - Repeated Exposure, category 2). Prolonged or repeated overexposure may cause central nervous system, kidney and liver damage.

**Aspiration Hazard:** Based on available data, the classification criteria for Aspiration Hazard are not met for this mixture ( $<$  10% ingredients classified as an Aspiration Hazard, category 1 and/or mixture viscosity  $>$  20.5 mm<sup>2</sup>/s at 40 °C).

## 12. ECOLOGICAL INFORMATION

**Environmental Data:** No data available.

**Ecotoxicological Information:** No data available.

**Bioaccumulation/Accumulation:** No data available.

**Distribution:** No data available.

**Aquatic Toxicity (Acute):** No data available.

**Chemical Fate Information:** No data available.

## 13. DISPOSAL CONSIDERATIONS

**Disposal Method:** Comply with applicable local, state or international regulations concerning solid or hazardous waste disposal and/or container disposal. Do not discharge substance/product into sewer system.

**Product Disposal:** Empty containers retain product residue; observe all precautions for product. Decontaminate containers prior to disposal.

## 14. TRANSPORT INFORMATION

### DOT (Department of Transportation)

**Proper Shipping Name** : COMBUSTIBLE LIQUID, N.O.S.

**Technical Name** : petroleum distillates

**Primary Hazard Class/Division:** Comb liq

**UN/NA Number** : NA1993

**Packing Group** : N/A

### Other Shipping Information:

This product is reclassified as a combustible liquid per the provisions of DOT Section 173.150 (f)(1) [a flammable liquid having a flash point at or above 38°C (100°F)].

These Regulations do not apply to the handling, offering for transport or transporting of less than 450 L of UN1993, COMBUSTIBLE LIQUID, N.O.S., on a road vehicle or a railway vehicle as per DOT 173.150 (f)(2).

### Vessel (IMO/IMDG)

**Shipping Name** : PAINT

**UN/NA Number** : 1263

**11001 RUST KILLER 237 mL****Primary Hazard Class/Division:** 3**Packing Group** : III**Note:** For products with an inner packaging < 5.0 L, this product may be shipped as a Limited Quantity.**Canadian Transportation of Dangerous Goods Regulations****Shipping Name** : PAINT**UN/NA Number** : 1263**Primary Hazard Class/Division:** 3**Packing Group** : III**TDG Note:**

Not regulated as per TDG Section 1.33.

(Class 3, Packing Group III, Flash Point &gt; 37.8 °C, packaging &lt; 450 L)

**15. REGULATORY INFORMATION****UNITED STATES****SARA Section 311/312 Hazard Categories****311/312 HEALTH HAZARDS:** Carcinogenicity, Eye Irritation, Narcotic Effects, Reproductive Toxicity, Skin Sensitization, Target Organ Toxicity (Repeated exposure)**311/312 Physical Hazards:** Flammable Liquids**EPCRA Section 313 Toxic Chemicals:**

This product does not contain any listed toxic chemicals that exceed the threshold reporting levels established by SARA Title III, Section 313.

**EPCRA Section 302 Extremely Hazardous Substances****EPCRA Status:**

This product contains no listed extremely hazardous substances that are subject to the reporting requirements of SARA Title III, Section 302.

**CERCLA Hazardous Substances and Reportable Quantities (RQ)****CERCLA Status:**

This product contains no CERCLA listed hazardous substances.

Chemical Name	Wt.%	RQ
toluene	0.6 - 0.8	1,000
naphthalene	0.15 - 0.25	100
ethylbenzene	0.05 - 0.15	1,000

**TSCA (The Toxic Substances Control Act)****TSCA Status:**

All components are included or are otherwise exempt from inclusion on this inventory.


**CAA 112(b) - Hazardous Air Pollutants**

Chemical Name	Wt.%	CAS number
toluene	0.6 - 0.8	108-88-3
naphthalene	0.15 - 0.25	91-20-3
ethylbenzene	0.05 - 0.15	100-41-4

**11001 RUST KILLER 237 mL****CAA 112(r) - List of Substances for Accidental Release Prevention:**

This product contains no chemicals subject to CAA 112(r).

**California Proposition 65:**

 **WARNING:** This product can expose you to chemicals including the chemical(s) listed below, which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Chemical Name	Wt. %	Listed
titanium dioxide	2.7 - 3.5	• Cancer
toluene	0.6 - 0.8	• Developmental Toxicity • Female Reproductive
naphthalene	0.15 - 0.25	• Cancer
ethylbenzene	0.05 - 0.15	• Cancer
crystalline silica, quartz	< 0.1	• Cancer

**OSHA Hazard Communication Standard (29 CFR 1910.1200):**

OSHA Status: Hazardous Product (See Section 2 for details).

This product has been classified in accordance with the hazard criteria of the USA OSHA Hazard Communication Standard (29CFR 1910.1200) and the Safety Data Sheet contains all the information required by the OSHA Hazard Communication Standard (HazCom 2012).

**CANADA****WHMIS Hazard Symbol and Classification**

See Section 2 for details.

**WHMIS Regulatory Status:**

This product has been classified in accordance with the hazard criteria of the Canadian Hazardous Products Regulations and the Safety Data Sheet contains all the information required by the Hazardous Products Regulations (WHMIS 2015).

**WHMIS Classification:**

WHMIS 2015 (Canada) Status: Hazardous Product (See Section 2 for details).

**CEPA - National Pollutant Release Inventory (NPRI):**

Name	CAS No.	NPRI Part No.
stoddard solvent	8052-41-3	5 (VOC)
toluene	108-88-3	1A, 5 (VOC)

**Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL):**

All components are included or are otherwise exempt from inclusion on this inventory.

**Comments** VOC Content -- See section 9.

**16. OTHER INFORMATION**

**Reason for Issue:** The Safety Data Sheet was updated.

**Approved By:** Jim Gordon    **Title:** R&D Chemist

**Prepared By :** Regulatory Compliance

**Date Revised:** 03/31/2021

**Information Contact:** 905-670-5411


# 11001 RUST KILLER 237 mL

**Revision Summary:** This MSDS replaces the 03/31/2021 MSDS.

## HMIS RATING

<b>HEALTH</b>	*	<b>1</b>
<b>FLAMMABILITY</b>		<b>2</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>
<b>PERSONAL PROTECTION</b>	<b>G</b>	

## NFPA CODES



**NFPA 30 / 30B Storage Classification:** Combustible Liquid II

**Manufacturer Supplemental Notes:** None

**Data Sources:** Not Available

**Additional SDS Information:** N/AV Not Available

N/AP Not Applicable

ND Not yet determined

ACGIH American Conference of Governmental Industrial Hygienists

CAA The Clean Air Act

CCCR The Consumer Chemicals and Containers Regulations

CEPA The Canadian Environmental Protection Act

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EPCRA The Emergency Planning and Community Right-To-Know Act

IARC International Agency for Research on Cancer

MSHA Mine Safety and Health Administration

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA The Occupational Safety and Health Administration

SARA The Superfund Amendments and Reauthorization Act

WHMIS Workplace Hazardous Materials Information System

**General Statements:** None

**Comments:** None

**Manufacturer Disclaimer:** The information contained herein is based on data considered accurate. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. No responsibility is assumed for personal injury or property damage to vendees or users or third parties, caused by the material. Such vendees or users assume all risks with the use of this material.